




BANDED EAR PLUGS



FEATURES

- 3-point wear: above head, below chin and behind the neck.
- Pivoting arms to adjust and pivot the band to a secure and comfortable position while being worn.
- Earplugs can be worn continuously even if the wearing position is changed – permanent protection.
- Interchangeable foam earplugs and tpr flanged earplugs included.
- Durable and comfortable band for a long lifetime.
- European Certified hearing protectors: EN 352-2 (SNR TPR ear plugs = 32 dB; SNR Foam ear plugs = 33 dB).

UNIT GUIDE

	DESCRIPTION	MATERIAL	STANDARD AND RATING	NOISE REDUCTION RATING (DB)	PACKAGING STYLE	PACK QUANTITY	ARTICLE NUMBER
A	BANDED EAR PLUGS	BAND: ABS, POM; PLUGS: POLYURETHANE OR TPR	EN 352-2:2020; SNR = 32 DB	32 DB SNR (H = 32; M = 28; L = 27 DB)	POLYBAG	1	4932478135
B	TPR REPLACEMENT - 5 PAIRS	TPR	EN 352-2:2020 SNR = 32 DB	32 DB SNR (H = 32; M = 28; L = 27 DB)	POLYBAG	5	4932478549
C	FOAM REPLACEMENT - 5 PAIRS	POLYURETHANE	EN 352-2:2020 SNR = 33 DB	33 DB SNR (H = 35; M = 30; L = 27 DB)	POLYBAG	5	4932478550



Disclaimer
Information present within this sheet was correct at the date of issue.

Techtronic Industries GmbH
71364 Winnenden
Germany
milwaukeeool.eu



REUSABLE EAR PLUGS CORDED

FEATURES

- Efficient jobsite noise attenuation of SNR = 31 dB.
- Corded solution for easy access - can be worn around the neck.
- Comfortable silicone - all day comfort.
- Quick-fit design to quickly insert and remove while achieving a secure seal.
- Storage box included - keep the ear plugs clean.
- European Certified hearing protectors: EN352-2 (SNR = 31 dB).

UNIT GUIDE

	DESCRIPTION	MATERIAL	STANDARD AND RATING	NOISE REDUCTION RATING (DB)	PACKAGING STYLE	PACK QUANTITY	ARTICLE NUMBER
	REUSABLE CORDED EAR PLUGS	SILICONE	EN 352-2:2020 SNR = 31 DB	31 DB SNR (H = 32; M = 28; L = 28 DB)	HANG CARD	3	4932471904



Disclaimer
Information present within
this sheet was correct at
the date of issue.

Techtronic Industries GmbH
71364 Winnenden
Germany
milwaukeetool.eu



FOAM EAR PLUGS

FEATURES

- Efficient jobsite noise attenuation of SNR = 38 dB.
- Comfortable foam - to wear all day.
- Quick expansion to ensure a rapid and secure seal.
- Individually packed pairs (200 pairs), resealable packaging (10 pairs) for hygienic and easy distribution.
- European Certified hearing protectors: EN352-2 (SNR = 38 dB; H = 37; M = 36 dB; L = 32 dB).

UNIT GUIDE

	DESCRIPTION	MATERIAL	STANDARD AND RATING	NOISE REDUCTION RATING (DB)	PACKAGING STYLE	PACK QUANTITY	ARTICLE NUMBER
A	FOAM EAR PLUGS - 10 PAIRS	PU	EN 352-2:2020 SNR = 38 DB	38	POLYBAG	1	4932480464
B	FOAM EAR PLUGS - 200 PAIRS	PU	EN 352-2:2020 SNR = 38 DB	38	CARTON BOX DISPENSER	200	4932480465



Disclaimer
Information present within
this sheet was correct at
the date of issue.

Techtronic Industries GmbH
71364 Winnenden
Germany
milwaukeetool.eu