



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name:** **KEIM SOLDALIT**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Sol-silicate paint for use on exterior walls.
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KEIMFARBEN GMBH
Keimstraße 16 / 86420 Diedorf
Tel. +49 (0)821 4802-0
Fax +49 (0)821 4802-210
www.keim.com / info@keimfarben.de
- **Further information obtainable from:**
Product safety department
Telefon: 49(0)821/4802-138
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**
GBK GmbH Global Regulatory Compliance
Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
EUH210 Safety data sheet available on request.
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- **2.3 Other hazards** Alkaline product. Avoid contact with skin and eyes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**
Sol-Silicate-based paint for outdoor use, with light resistant, inorganic pigments and mineral fillers.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 1)

· Dangerous components:

CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10-xxxx	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$] 	10-25%
CAS: 1312-76-1 EINECS: 215-199-1 Reg.nr.: 01-2119456888-17-xxxx	Silicic acid, potassium salt Specific concentration limits: Skin Irrit. 2; H315: C $\geq 40 \%$ Eye Irrit. 2; H319: C $\geq 40 \%$	$\leq 2.5\%$

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures**· General information:**

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

· After inhalation: Supply fresh air; consult doctor in case of complaints.**· After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media**· Suitable extinguishing agents:**

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

· 5.3 Advice for firefighters**· Special protective equipment:** Wear self-contained respiratory protective device.**· Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

DEN



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 2)

In case of fire do not breathe smoke, fumes and vapours.
Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Avoid contact with skin and eyes.
Particular danger of slipping on leaked/spilled product.
Respect the protection rules (see section 7 a. 8).
- **6.2 Environmental precautions:**
Do not allow product to reach soil, sewage system or any water course.
Follow local governmental rules and regulations.
Dilute with plenty of water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Dispose of the material collected according to regulations.
Clear contaminated areas thoroughly.
Flush rests with sufficient amount of water.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep receptacles tightly sealed.
Avoid contact with skin and eyes.
Do not inhale aerosols.
Ensure good ventilation/exhaustion at the workplace.
See item 8 (8.2) for information about suitable protective equipment and technical precautions.
Respect the protection rules.
- **Information about fire - and explosion protection:**
The product is not flammable.
No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Keep in the original containers in a cool and dry place.
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Do not store together with acids.
- **Further information about storage conditions:**
Store in a cool place.
Protect from frost.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 3)

- Protect from heat and direct sunlight.
- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
alveoles penetrating component

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]AGW (Germany) Long-term value: $1.25 \cdot 10^{**} \text{ mg/m}^3$
2(II);*alveolengängig**einatembar; AGS, DFG**14808-60-7 Quartz (SiO₂)**

MAK (Germany) alveolengängige Fraktion

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

- **Respiratory protection:**

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P2

- **Protection of hands:** Protective gloves

- **Material of gloves**

suitable material e.g.:

Nitrile impregnated cotton-gloves

Recommended thickness of the material: $\geq 0.5 \text{ mm}$

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

Butyl rubber, BR

Recommended thickness of the material: $\geq 0.7 \text{ mm}$

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

Value for the permeation: level ≥ 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

DEN



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 4)

- **Eye protection:** Tightly sealed goggles
- **Body protection:**
Protective work clothing
After contact with skin wash thoroughly with water and apply lotion.
- **Limitation and supervision of exposure into the environment**
See Section 12 and 6.2
No further relevant information available.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - **Form:** Pasty
 - **Colour:** Different, according to colouring.
- **Odour:** Weak, characteristic
- **Odour threshold:** Not determined
- **pH-value at 20 °C:** ~11*
- **Change in condition**
 - **Melting point/freezing point:** Not determined
 - **Initial boiling point and boiling range:** >100 °C
- **Flash point:** Not applicable
- **Flammability (solid, gas):** Not applicable
- **Ignition temperature:** Not determined
- **Decomposition temperature:** Not determined
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
 - **Lower:** Not applicable
 - **Upper:** Not applicable
- **Oxidising properties:** Not applicable
- **Vapour pressure at 20 °C:** ~23 hPa
- **Density at 20 °C:** 1.5-1.7* g/cm³
- **Relative density** Not determined
- **Vapour density** Not applicable.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with water:** Fully miscible
- **Partition coefficient: n-octanol/water:** Not applicable

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 5)

- **Viscosity:**
 - Dynamic at 20 °C:** 1.100-1.550* mPas
 - Kinematic:** Not determined
- **9.2 Other information** * The values are for freshly produced material and may change with the time.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:**
No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Inhalative	ATE mix (4h)	>5 mg/l (inhalation)
	ATE mix	>2,000 mg/kg (dermal) >2,000 mg/kg (orally)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)

1312-76-1 Silicic acid, potassium salt

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rat) (OECD 402)
Inhalative	LC50/4 h	>5 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.
- **Serious eye damage/irritation** In case of longer exposure, irritating effect is possible.
- **during inhalation:** Irritant effect possible.
- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 7)

DEN



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 6)

Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

Subacute to chronic toxicity:**Repeated dose toxicity****13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]**Inhalative | NOAEC | 10 mg/m³ (rat) (90d)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** Not applicable
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]**

NOEC	$\geq 100,000$ mg/kg (sediment fresh water)
EC50	> 100 mg/kg (freshwater alga) (OECD 201)
EC 50	$> 10,000$ mg/l (algae) (ISO 10253)
LC 50	$> 10,000$ mg/l (marine fish) (OECD 203)
	$> 1,000$ mg/l (freshwater fish) (EPA-540/9-85-006)
	$> 1,000$ mg/l (daphnia) (OECD 202)

1312-76-1 Silicic acid, potassium salt

NOEC	> 1 mg/l (fish)
	> 1 mg/l (invertebrates)
EC 50/48h	> 100 mg/l (daphnia) (OECD 202)
EC 50/72 h	> 100 mg/l (algae)
LC 50/96 h	> 100 mg/l (fish) (DIN EN ISO 7346-2)
EC 0	$> 1,000$ mg/l (activated sludge) (30min)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 8)

DEN



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 7)

- **Additional ecological information:**
- **AOX-indication:**
Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.
- **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**
The product contains TiO₂, BaSO₄.
- **General notes:**
At present there are no ecotoxicological assessments.
The statements on ecotoxicology have been derived from the properties of the individual components.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow product to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **European waste catalogue**

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
----------	--
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

- | | |
|--|------|
| · 14.1 UN-Number
· ADR, IMDG, IATA | Void |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es)
· ADR, IMDG, IATA
· Class | Void |
| · 14.4 Packing group
· ADR, IMDG, IATA | Void |

(Contd. on page 9)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 8)

· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
For information on labelling please refer to section 2 of this document.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable
- **Product-Code/Giscode:** BSW40
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 10)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.01.2021

Version number 13.0

Revision: 15.01.2021

Trade name: KEIM SOLDALIT

(Contd. of page 9)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
AGW: Arbeitsplatzgrenzwert (Germany)
EC10: Effective concentration at 10% mortality rate.
EC50: Half maximal effective concentration.
LC10: Lethal concentration at 10% mortality rate.
NOEC: No observed effect concentration.
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Carc. 2: Carcinogenicity – Category 2

· * **Data compared to the previous version altered.**

DEN



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· **1.1 Product identifier**

· Trade name: **ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Application of the substance / the mixture**

Paint

Glaze

· **Uses advised against** All other uses are not recommended.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

KEIMFARBEN GMBH

Keimstraße 16 / 86420 Diedorf

Tel. +49 (0)821 4802-0

Fax +49 (0)821 4802-210

www.keim.com / info@keimfarben.de

· **Further information obtainable from:**

Product safety department

Telefon: 49(0)821/4802-138

E-Mail: sdb.info@keimfarben.de

· **1.4 Emergency telephone number:**

GBK GmbH Global Regulatory Compliance

Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.

· **2.3 Other hazards** Alkaline product. Avoid contact with skin and eyes.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

DEN

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Aqueous solution of silicic acid potassium salt and/or silica sol, acrylic polymer, mineral fillers, pigments, additives.

· Dangerous components:

CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9	2-methylisothiazol-3(2H)-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sens. 1A, H317	<0.0015%
---	--	----------

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

With appearance of symptoms or in cases of doubt seek medical advice .

When seeing the doctor we suggest to present this safety data sheet.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

· 5.3 Advice for firefighters

· **Specila protective equipment:** Wear self-contained respiratory protective device.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

**Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)**

(Contd. of page 2)

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
In case of fire do not breathe smoke, fumes and vapours.
Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation
Avoid contact with skin and eyes.
Particular danger of slipping on leaked/spilled product.
Respect the protection rules (see section 7 a. 8).

· **6.2 Environmental precautions:**

Do not allow product to reach soil, sewage system or any water course.
Follow local governmental rules and regulations.
Dilute with plenty of water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Dispose of the material collected according to regulations.
Clear contaminated areas thoroughly.
Flush rests with sufficient amount of water.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.
Avoid contact with skin and eyes.
Do not inhale aerosols.
Ensure good ventilation/exhaustion at the workplace.
See item 8 (8.2) for information about suitable protective equipment and technical precautions.
Respect the protection rules.

· **Information about fire - and explosion protection:**

The product is not flammable.
No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Keep in the original containers in a cool and dry place.
Store only in unopened original receptacles.

· **Information about storage in one common storage facility:** Do not store together with acids.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

**Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)**

(Contd. of page 3)

- **Further information about storage conditions:**
Store in a cool place.
Protect from frost.
Protect from heat and direct sunlight.
- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
alveoles penetrating component

14808-60-7 Quartz (SiO₂)

MAK (Germany) | alveolengängige Fraktion

2682-20-4 2-methylisothiazol-3(2H)-oneMAK (Germany) | Long-term value: 0.2 E mg/m³
vgl. Abschn. Xc

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Avoid contact with the eyes and skin.
Do not inhale aerosols.
Wash hands before breaks and at the end of work.
Immediately remove all soiled and contaminated clothing.
- **Respiratory protection:**
Use suitable respiratory protective device only when aerosol or mist is formed.
Filter: P2
- **Protection of hands:** Protective gloves
- **Material of gloves**
suitable material e.g.:
Nitrile impregnated cotton-gloves
Recommended thickness of the material: ≥ 0.5 mm
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.4 mm
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.7 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
Value for the permeation: level ≥ 6 (480 min)
The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)

(Contd. of page 4)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed goggles

· **Body protection:**

Protective work clothing

After contact with skin wash thoroughly with water and apply lotion.

· **Limitation and supervision of exposure into the environment**

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Pasty
· Colour:	Medium and dark shades
· Odour:	Weak, characteristic
· Odour threshold:	Not determined

· **pH-value:** Alkaline

· **Change in condition**

· Melting point/freezing point:	Not determined
· Initial boiling point and boiling range:	>100 °C

· **Flash point:** Not applicable

· **Flammability (solid, gas):** Not applicable

· **Ignition temperature:** Not determined

· **Decomposition temperature:** Not determined

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not applicable
· Upper:	Not applicable

· **Oxidising properties:** Not applicable

· **Vapour pressure at 20 °C:** ~23 hPa

· Density at 20 °C:	1.2-1.6* g/cm ³
· Relative density	Not determined
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)

(Contd. of page 5)

· Solubility in / Miscibility with water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not applicable
· Viscosity:	
Dynamic at 20 °C:	500-4500* mPas
Kinematic:	Not determined
· 9.2 Other information	* The values are for freshly produced material and may change with the time.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:**
No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

2682-20-4 2-methylisothiazol-3(2H)-one

Oral	LD50	235 mg/kg (rat) (männlich) 183 mg/kg (rat) (weiblich)
Dermal	LD50	242 mg/kg (rat) (OECD 402)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.
- **Serious eye damage/irritation** In case of longer exposure, irritating effect is possible.
- **during inhalation:** Irritant effect possible.
- **during swallowing:** Irritant effect possible
- **Respiratory or skin sensitisation**
Contains MIT. May produce an allergic reaction.
MIT = 2-Methyl-4-isothiazolin-3-one
- **Other information (about experimental toxicology):**
Experimental analysis are not available.

(Contd. on page 7)

—DEN—



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)

(Contd. of page 6)

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** Not applicable
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2682-20-4 2-methylisothiazol-3(2H)-one

NOEC	2.1 mg/l (fish) (33d) 0.04 mg/l (daphnia) (21d)
EC 50/72 h	0.158 mg/l (algae) (OECD 201)
LC 50/96 h	4.77 mg/l (Oncorhynchus mykiss) (OECD 203)
LC 50/48h	0.93-1.9 mg/l (daphnia)
LC50/EC50/IC50	<1 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **AOX-indication:**

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

· **General notes:**

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

· **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable
- **vPvB:** Not applicable

- **12.6 Other adverse effects** No further relevant information available.

DEN

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

**Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)**

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.

· European waste catalogue

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
----------	--

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user

Not applicable

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

· Transport/Additional information:

No dangerous good in sense of these transport regulations.

· UN "Model Regulation":

Void

DEN

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

**Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)**

(Contd. of page 8)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
For information on labelling please refer to section 2 of this document.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Please note:**
TRGS 200 (Germany)
TRGS 500 (Germany)
TRGS 510 (Germany)
TRGS 900 (Germany)
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable
- **Product-Code/Giscode:** BSW20
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

(Contd. on page 10)



Page 10/10

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.03.2020

Version number 1.0

Revision: 17.03.2020

**Trade name: ALL KEIM-PAINTS AND -GLAZES in the price groups PG2 and PG3
(medium and dark shades)**

(Contd. of page 9)

PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
AGW: Arbeitsplatzgrenzwert (Germany)
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
Acute Tox. 3: Acute toxicity - oral – Category 3
Acute Tox. 2: Acute toxicity - inhalation – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

DEN